

Contributions scientifiques d'Alain Favre

1 - Publications

Guschlbauer W, Favre A, Michelson AM

Photochemistry of polynucleotides I-ultraviolet photolysis of substituted pyrimidines

Z Naturforsch B 1965, 20:1141-5

Favre A

[Photochemistry to t-RNA-val-I]

Bull Soc Chim Biol (Paris) 1969, 51:1542.

Yaniv M, Favre A, Barrell BG

Structure of transfer RNA. Evidence for interaction between two non-adjacent nucleotide residues in tRNA from Escherichia coli

Nature 1969, 223(5213):1331-3.

Ninio J, Favre A, Yaniv M

Molecular model for transfer RNA

Nature 1969, 223(5213):1333-5.

Favre A, Yaniv M, Michelson AM

The photochemistry of 4-thiouridine in Escherichia coli t-RNA Val¹

Biochem Biophys Res Commun 1969, 37:266-71.

Bollen A, Herzog A, Favre A, Thibault J, Gros F

Fluorescence studies on the 30 S ribosome assembly process

FEBS Lett 1970, 11:49-54.

Favre A, Michelson AM, Yaniv M

Photochemistry of 4-thiouridine in Escherichia coli transfer RNA¹Val.

J Mol Biol 1971, 58:367-79.

Yaniv M, Chestier A, Gros F, Favre A

Biological activity of irradiated tRNA Val containing a 4-thiouridine-cytosine dimer.

J Mol Biol 1971, 58:381-8.

Favre A, Yaniv M

Introduction of an intramolecular fluorescent probe in E. coli tRNA(Val)(1).

FEBS Lett 1971, 17:236-40.

Favre A

Fluorescence of the acidic form of Poly C.

FEBS Lett 1972, 22:280-2.

Petrissant G, Favre A

Separation and characterization of an intramolecular cross-linked form of tRNA Met from E. coli.

FEBS Lett 1972, 23:191-4.

Thiele D, Guschlbauer W, Favre A

Protonated polynucleotide structures. X. Optical properties of poly(I)-poly(C) and its disproportionation complexes

Biochim Biophys Acta 1972, 272:22-6.

Favre A, Roques B, Fourrey JL

Chemical structures of the TU-C and TU-C(red) products derived from E. coli tRNA.

FEBS Lett 1972, 24:209-14.

Berthelot F, Gros F, Favre A

Biological activity of cross-linked Escherichia coli tRNA f Met.

Eur J Biochem 1972, 29:343-7.

Favre A, Guilley H, Hirth L

A fluorescence study of "in vitro" TMV reconstitution

FEBS Lett 1972, 26:15-9.

Carré DS, Thomas G, **Favre A**
Conformation and functioning of tRNAs: cross-linked tRNAs as substrate for tRNA nucleotidyl-transferase and aminoacyl synthetases
Biochimie 1974, 56:1089-101.

Favre A, Bertazzoni U
The poly A content and secondary structure of the 14S calf lens messenger RNA
Biochem Biophys Res Commun 1974, 56:273-80.

Houdebine LM, Gaye P, **Favre A**
Lack of poly(A) sequence in half of the messenger RNA coding for ewe alpha S casein
Nucleic Acids Res 1974, 1:413-26.

Favre A, Fourrey JL
Intramolecular cross-linking of single-stranded copolymers of 4-thiouridine and cytidine
Biochem Biophys Res Commun 1974, 58:507-15.

Vigny P, **Favre A**
Fluorescence and photochemistry of oligocytidylic and polycytidylic acids in aqueous solution
Photochem Photobiol 1974, 20:345-9.

Favre A, Buchingham R, Thomas G
tRNA tertiary structure in solution as probed by the photochemically induced 8-13 cross-link
Nucleic Acids Res 1975, 2:1421-31.

Favre A, Morel C, Scherrer K
The secondary structure and poly(A) content of globin messenger RNA as a pure RNA and in polyribosome-derived ribonucleoprotein complexes
Eur J Biochem 1975, 57:147-57.

Thomas G, **Favre A**
4-Thiouridine as the target for near-ultraviolet light induced growth delay in Escherichia coli
Biochem Biophys Res Commun 1975, 66:1454-61.

Favre A, Vigny P
Excited states of nucleic acids
Photochem Photobiol 1975, 22:288-91.

Ballini JP, Vigny P, Thomas G, **Favre A**
Intramolecular energy transfer in native tRNA at room temperature
Photochem Photobiol 1976, 24:321-9.

Thomas G, **Favre A**
[Mutants of Escherichia coli deficient in 4-thiouridine in which growth is insensitive to illumination at 365 nm]
C R Acad Sci Hebd Seances Acad Sci D 1977, 284:1345-7.

Leroy JL, Guéron M, Thomas G, **Favre A**
Role of divalent ions in folding of tRNA
Eur J Biochem 1977, 74:567-74.

Thomas G, **Favre A**
[Genetic localization of a mutation rendering the growth of E coli K12 insensitive to illumination at 365 nm]
C R Acad Sci Hebd Seances Acad Sci D 1977, 284:2285-8.

Thomas G, **Favre A**
4-Thiouridine and photoprotection in Escherichia coli K 12
C R Acad Sci Hebd Seances Acad Sci D 1977, 284:2569-72.

Thomas G, Fourrey JL, **Favre A**
Reduced 8--13 link, a viscosity-dependent fluorescent probe of transfer RNA tertiary structure
Biochemistry. 1978 Oct 17;17(21):4500-8

Favre A, Ballini JP, Holler E
Phenylalanyl-tRNA synthetase induced conformational change of Escherichia coli tRNA phe

Biochemistry 1979, 18:2887-95.

Thomas G, **Favre A**

4-Thiouridine triggers both growth delay induced by near-ultraviolet light and photoprotection
Eur J Biochem 1980, 113:67-74.

Katouzian-Safadi M, **Favre A**, Haenni AL

Effect of freezing and thawing on the structure of turnip yellow mosaic virus
Eur J Biochem 1980, 112:479-86.

Favre A, Thomas G

Transfer RNA: From photophysics to photobiology
Annu Rev Biophys Bioeng 1981, 10:175-95.

Trapy G, **Favre A**, Esnault R

Fractionation and characterization of polyadenylated RNA from broad bean meristematic root cells
Plant Mol Biol 1981, 1:53-62.

Holler E, Baltzinger M, **Favre A**

Catalytic mechanism of phenylalanyl-tRNA synthetase of Escherichia coli K10. Different properties of native and photochemically cross-linked tRNAPhe can be explained in the light of tRNA conformer equilibria
Biochemistry 1981, 20:1139-47.

Barritault D, Buckingham RH, **Favre A**, Thomas G

Photocrosslinking of thiolated aminoacyl-tRNA to ribosomal RNA and proteins
Biochimie 1981, 63:587-93.

Favre A

[Light and bacterial growth]
Biochimie 1981, 63:III-VI.

Guerin MF, Hayes DH, **Favre A**

Partial deproteinization of ribosomal subunits by treatment with high concentrations of sodium chloride: physical and chemical characterization of protein depleted particles.
Biochimie 1981, 63:685-97.

Thomas G, Thiam K, **Favre A**

tRNA thiolated pyrimidines as targets for near-ultraviolet-induced synthesis of guanosine tetraphosphate in Escherichia coli
Eur J Biochem 1981, 119:381-7.

Waksman G, Thomas G, **Favre A**

The lon gene and photoprotection in Escherichia coli K-12
Photochem Photobiol 1984, 39:337-42

Blanchetot A, Hajnsdorf E, **Favre A**

Metabolism of tRNA in near-ultraviolet-illuminated Escherichia coli. The tRNA repair hypothesis
Eur J Biochem 1984, 139:547-52.

Thiam K, **Favre A**

Role of the stringent response in the expression and mechanism of near-ultraviolet induced growth delay
Eur J Biochem 1984,145:137-42.

Caldeira de Araujo A, **Favre A**

Induction of size reduction in Escherichia coli by near-ultraviolet light
Eur J Biochem 1985, 146:605-10.

Favre A, Hajnsdorf E, Thiam K, Caldeira de Araujo A

Mutagenesis and growth delay induced in Escherichia coli by near-ultraviolet radiations
Biochimie 1985, 67:335-42.

Caldeira de Araujo A, **Favre A**

Near ultraviolet DNA damage induces the SOS responses in Escherichia coli
EMBO J 1986, 5:175-9.

Hajnsdorf E, **Favre A**

Metabolism of tRNAs in growing cells of Escherichia coli illuminated with near-ultraviolet light
Photochem Photobiol 1986, 43:157-64.

Hajnsdorf E, Favre A, Expert-Bezançon A
Multiple crosslinks of proteins S7, S9, S13 to domains 3 and 4 of 16S RNA in the 30S particle
Nucleic Acids Res 1986, 14:4009-23.

Favre A, Chams V, Caldeira de Araujo A
Photosensitized UVA light induction of the SOS response in Escherichia coli
Biochimie 1986, 68:857-64.

Lemaigre Dubreuil YL, Kaba L, Hajnsdorf E, Favre A, Le Bret M
Identification of form III conformers in tRNAPhe from Escherichia coli by intramolecular photo-cross-linking
Biochemistry 1986, 25:5726-35.

Favre A, Bezerra R, Hajnsdorf E, Lemaigre Dubreuil Y, Expert-Bezançon A
Substitution of uridine in vivo by the intrinsic photoactivable probe 4-thiouridine in Escherichia coli RNA. Its use for E. coli ribosome structural analysis
Eur J Biochem 1986, 160:441-9.

Favre A, Moreno G, Blondel MO, Kliber J, Vinzens F, Salet C
4-Thiouridine photosensitized RNA-protein crosslinking in mammalian cells
Biochem Biophys Res Commun 1986, 141:847-54.

Hajnsdorf E, Dubreuil YL, Bezerra R, Favre A, Expert-Bezançon A
RNA protein crosslinks introduced into E. coli ribosomes by use of the intrinsic probe 4-thiouridine
Photochem Photobiol 1987, 45:445-51.

Caldeira de Araujo A, Favre A
Partial tRNA deacylation specifically triggers Escherichia coli cell volume reduction
J Photochem Photobiol B 1987, 1:13-31.

Ghribi S, Maurel MC, Rougee M, Favre A
Evidence for tertiary structure in natural single stranded RNAs in solution
Nucleic Acids Res 1988, 16:1095-112.

Blondel MO, Favre A
tRNAPhe and tRNAPro are the near-ultraviolet molecular targets triggering the growth delay effect
Biochem Biophys Res Commun 1988, 150:979-86.

Nassi L, Schiffmann D, Favre A, Adam W, Fuchs R
Induction of the SOS function *sfIA* in E. coli by systems which generate triplet ketones
Mutat Res 1988,198:53-60.

Hajnsdorf E, Favre A, Expert-Bezançon A
New RNA-protein crosslinks in domains 1 and 2 of E. coli 30S ribosomal subunits obtained by means of an intrinsic photoaffinity probe
Nucleic Acids Res 1989, 17:1475-91.

Fourrey JL, Gasche J, Fontaine C, Guittet E, Favre A
Sequence dependent photochemistry of di(deoxynucleoside) phosphates containing 4-thiouracil
J Chem Soc Chem Commun 1989, 1334-6

Eder E, Favre A, Deininger C, Hahn H, Kütt W
Induction of SOS repair by monofunctional methanesulphonates in various Escherichia coli strains. Structure-activity relationships in comparison with mutagenicity in Salmonella typhimurium
Mutagenesis 1989, 4:179-86.

Eder E, Favre A, Stichtmann C, Deininger C
Induction of *sfIA* SOS function by peroxides using three different E. coli strains
Toxicol Lett 1989, 48:225-34.

Aragão BR, Caldeira-de-Araújo A, De Mattos JC, Favre A, Alcantara-Gomes R
Near-ultraviolet illumination inhibits the liquid holding recovery in Escherichia coli B
Braz J Med Biol Res 1990, 23:1263-6.

Bezerra R, Favre A

In vivo incorporation of the intrinsic photolabel 4-thiouridine into Escherichia coli RNAs

Biochem Biophys Res Commun 1990, 166:29-37.

Heihoff K, Redmond RW, Braslavsky SE, Rougée M, Salet C, Favre A, Bensasson RV

Quantum yields of triplet and O₂(¹Δ_{g) formation of 4-thiouridine in water and acetonitrile}

Photochem Photobiol 1990, 51:635-41.

Clivio P, Fourrey JL, Gasche J, Favre A

DNA photodamage mechanistic studies: characterization of a thietane intermediate in a model reaction relevant to "6-4 lesions"

J Am Chem Soc 1991, 113:5481-3.

Favre A, Lemaigre Dubreuil Y, Fourrey JL

Photocoupling of the intrinsic photoaffinity probe 4-thiouridine to nucleosides and oligonucleotides

New J Chem 1991, 15:593-9.

Wollenzien P, Expert-Bezançon A, Favre A

Sites of contact of mRNA with 16S rRNA and 23S rRNA in the Escherichia coli ribosome

Biochemistry 1991, 30:1788-95.

Dubreuil YL, Expert-Bezançon A, Favre A

Conformation and structural fluctuations of a 218 nucleotides long rRNA fragment: 4-thiouridine as an intrinsic photolabelling probe

Nucleic Acids Res 1991, 19:3653-60.

Woisard A, Favre A, Clivio P, Fourrey JL

Hammerhead ribozyme tertiary structure folding: intrinsic photolabeling studies

J Am Chem Soc 1992, 114:10072-4.

Clivio P, Fourrey JL, Gasche J, Audic A, Favre A, Perrin C, Woisard A

Synthesis and purification of oligo nucleotides containing sulfur substituted nucleobases: 4-thiouracil, 4-thiothymine and 6-mercaptapurine

Tetrahedron Lett 1992, 33, 65-8.

Clivio P, Fourrey JL, Gasche J, Favre A

Synthesis of dinucleoside phosphates containing sulfur substituted nucleobases: 4-thiouracil, 4-thiothymine and 6-mercaptapurine

Tetrahedron Lett 1992, 33, 69-72.

Clivio P, Fourrey JL, Gasche J, Favre A

Novel insight into the stereochemical pathway leading to (6-4) pyrimidine-pyrimidone photoproducts in DNA

Tetrahedron Lett 1992, 33:1615-8.

Clivio P, Fourrey JL, Gasche J, Favre A

Synthesis of deoxynucleoside phosphates containing 4-thio substituted pyrimidine nucleobases

J Chem Soc Perkin Trans I 1992, 2383-8.

Clivio P, Favre A, Fontaine C, Fourrey JL, Gasche J, Guittet E, Laugâa

NMR and molecular modelling studies of two photoproducts of 2'-deoxy-4-thiouridylyl-(3'-5')-thymidine

Tetrahedron 1992, 48:1605-16.

Dos Santos DV, Vianna AL, Fourrey JL, Favre A

Folding of DNA substrate-hairpin ribozyme domains: use of deoxy 4-thiouridine as an intrinsic photolabel

Nucleic Acids Res 1993, 21:201-7.

Dos Santos DV, Fourrey JL, Favre A

Flexibility of the bulge formed between a hairpin ribozyme and deoxy-substrate analogues

Biochem Biophys Res Commun 1993, 190:377-85.

Favre A, Moreno G, Salet C, Vinzens F

4-Thiouridine incorporation into the RNA of monkey kidney cells (CV-1) triggers near-UV light long-term inhibition of DNA, RNA and protein synthesis

Photochem Photobiol 1993, 58:689-94.

Clivio P, Fourrey JL, Favre A

Synthesis of deoxydinucleoside phosphates containing 6-thio-substituted purine nucleobases
J Chem Soc Perkin Trans I 1993, 2585-90.

Silva FC, Fonseca AS, Corrêa AS, Lee CC, De Araújo AC, Valsa JO, Bernardo-Filho M, Favre A.
Near-UV light protection effect against lethality induced by stannous chloride in Escherichia coli
Microbios 1994 79:241-4.

Saintomé C, Clivio P, Fourrey JL, Woisard A, Favre A
Development of new nucleic acid photoaffinity probes: synthesis of 4-thiothymine labelled nucleoside analogues
Tetrahedron Lett 1994, 35:873-6.

Woisard A, Fourrey JL, Favre A
Multiple folded conformations of a hammerhead ribozyme domain under cleavage conditions
J Mol Biol 1994, 239:366-70.

Mastruzzo L, Woisard A, Ma DD, Rizzarelli E, Favre A, Le Doan T
Targeted photochemical modification of HIV-derived oligoribonucleotides by antisense oligodeoxynucleotides linked to porphyrins
Photochem Photobiol 1994, 60:316-22.

Laugâa P, Woisard A, Fourrey JL, Favre A
Hammerhead ribozyme: a three dimensional model based on photo-crosslinking data
C R Acad Sci III 1995, 318:307-13.

Tanaka M, Dos Santos J, Laugâa P, Fourrey JL, Favre A
The RNA substrate of the tobacco ringspot virus derived hairpin ribozyme and its DNA analog adopt distinct ordered structures in solution: an intrinsic photoaffinity study
New J Chem 1995, 19:469-78.

Favre A, Fourrey JL
Structural probing of small endonucleolytic ribozymes in solution using thio-substituted nucleobases as intrinsic photolabels
Acc Chem Res 1995, 28:375-82.

Domi A, Siromachkova M, Fourrey JL, Favre A, Beaud G
Photoinactivation (365 nm) of vaccinia and herpes simplex viruses induced by a new built-in DNA photosensitizer: 4-thiothymidine
Photochem Photobiol 1995, 61:463-70.

Domi A, Beaud G, Favre A
Transcripts containing a small anti-HIV hammerhead ribozyme that are active in the cell cytoplasm but inactive in vitro as free RNA
Biochimie 1996, 78:654-62.

Bravo C, Lescure F, Laugâa P, Fourrey JL, Favre A
Folding of the HDV antigenomic ribozyme pseudoknot structure deduced from long-range photocrosslinks
Nucleic Acids Res 1996, 24:1351-9.

Saintomé C, Clivio P, Favre A, Fourrey JL, Riche C
RNA photolabeling mechanistic studies: X-ray crystal structure of the photoproduct formed between 4-thiothymidine and adenosine upon near UV irradiation
J Am Chem Soc 1996, 118:8142-3.

Burlina F, Favre A, Fourrey JL
Chemical engineering of RNase resistant and catalytically active hammerhead ribozymes
Bioorg Med Chem 1997, 5:1999-2010.

Saintomé C, Clivio P, Favre A, Fourrey JL
Photochemistry of 4-Thiothymine Derivatives in the Presence of N-9-Substituted-Adenine Derivatives: Formation of N-6-Formamidopyrimidines
J Org Chem 1997, 62:8125-30.

Saintomé C, Clivio P, Favre A, Fourrey JL, Laugâa P
Site specific cross-linking of single-stranded oligonucleotides by a complementary sequence equipped with an internal photoactive probe

J Chem Soc Chem Commun 1997, 167-8.

Lavrik OI, Nasheuer HP, Weissbart K, Wold MS, Prasad R, Beard WA, Wilson SH, **Favre A**
Subunits of human replication protein A are crosslinked by photoreactive primers synthesized by DNA polymerases

Nucleic Acids Res 1998, 26:602-7.

Bombard S, Kozelka J, **Favre A**, Chottard JC

Probing the mechanism of an Mn²⁺-dependent ribozyme by means of platinum complexes

Eur J Biochem 1998, 252:25-35.

Favre A, Saintomé C, Fourrey JL, Clivio P, Laugâa P

Thionucleobases as intrinsic photoaffinity probes of nucleic acid structure and nucleic acid-protein interactions

J Photochem Photobiol B 1998, 42:109-24.

Moor NA, **Favre A**, Lavrik OI

Covalent complex of phenylalanyl-tRNA synthetase with 4-thiouridine-substituted tRNA(Phe) gene transcript retains aminoacylation activity

FEBS Lett 1998, 427:1-4.

Pasheva EA, Pashev IG, **Favre A**

Preferential binding of high mobility group 1 protein to UV-damaged DNA. Role of the COOH-terminal domain

J Biol Chem 1998, 273:24730-6.

Bombard S, **Favre A**, Kozelka J

Very short oligonucleotides migrate on 20% polyacrylamide gels with an apparent friction coefficient proportional to molecular mass

Anal Biochem 1998, 263:123-5.

Petrov AV, Dokudovskaya SS, Sokolov KA, Lavrik OI, **Favre A**, Dontsova OA, Bogdanov AA

Telomerase from *Saccharomyces cerevisiae* contains several protein subunits and may have different activities depending on the protein content

FEBS Lett 1998, 436:35-40.

Lavrik OI, Zakharenko AL, Prasad R, Vlasov VA, Bogachev VS, **Favre A**

[dNTP, covalently bound to DNA polymerases through a base, active in nucleotidyl transfer reactions]

Mol Biol (Mosk) 1998, 32:621-8.

Moor NA, Stepanov VG, Ankilova VN, **Favre A**, Lavrik OI

Affinity modification of phenylalanyl-tRNA synthetase from *Thermus thermophilus* by tRNA^{Phe} transcripts containing 4-thiouridine

Biochemistry (Mosc) 1998, 63:1044-50.

Moor NA, Ankilova VN, **Favre A**, Lavrik OI

Localization of the binding site for the 3'-terminal sequence of tRNA^{Phe} in subunits of phenylalanyl-tRNA synthetase from *Thermus thermophilus*

Biochemistry (Mosc) 1998, 63:1051-6.

Lavrik OI, Kolpashchikov DM, Nasheuer HP, Weissbart K, **Favre A**

Alternative conformations of human replication protein A are detected by crosslinks with primers carrying a photoreactive group at the 3'-end

FEBS Lett 1998, 441:186-90.

Kolpashchikov DM, Weissbart K, Nasheuer HP, Khodyreva SN, Fanning E, **Favre A**, Lavrik OI

Interaction of the p70 subunit of RPA with a DNA template directs p32 to the 3'-end of nascent DNA

FEBS Lett 1999, 450:131-4.

Burlina F, Fourrey JL, Lefort V, **Favre A**

Cleavage activity of a hammerhead ribozyme domain containing 2',5'-phosphodiester linkages

Tetrahedron Lett 1999, 40:4559-62.

Bravo C, Woisard A, Fourrey JL, Laugâa P, **Favre A**

A Y form of hammerhead ribozyme trapped by photo-cross-links retains full cleavage activity

Biochimie 1999, 81:201-12.

Lavrik OI, Kolpashchikov DM, Weissbart K, Nasheuer HP, Khodyreva SN, Favre A
RPA subunit arrangement near the 3'-end of the primer is modulated by the length of the template strand and cooperative protein interactions
Nucleic Acids Res 1999, 27:4235-40.

Saintome C, Clivio P, Fourrey JL, Woisard A, Laugâa P, Favre A
Synthesis of 4-thiothymine based photolabels as new tools for nucleic acid structural studies in solution: formation of long-range photo-cross-links within a hammerhead ribozyme domain
Tetrahedron 2000, 56:1197-206.

Kolpashchikov DM, Ivanova TM, Boghachev VS, Nasheuer HP, Weissbart K, Favre A, Pestryakov PE, Lavrik OI
Synthesis of base-substituted dUTP analogues carrying a photoreactive group and their application to study human replication protein A
Bioconjug Chem 2000, 11:445-51.

Kolpashchikov DM, Khodyreva SN, Khlimankov DY, Wold MS, Favre A, Lavrik OI
Polarity of human replication protein A binding to DNA
Nucleic Acids Res 2001, 29:373-9.

Moor NA, Ankilova VN, Lavrik OI, Favre A
Determination of tRNA(Phe) nucleotides contacting the subunits of Thermus thermophilus phenylalanyl-tRNA synthetase by photoaffinity crosslinking
Biochim Biophys Acta 2001, 1518:226-36.

Chavatte L, Frolova L, Kisselev L, Favre A
The polypeptide chain release factor eRF1 specifically contacts the s(4)UGA stop codon located in the A site of eukaryotic ribosomes
Eur J Biochem 2001, 268:2896-904.

Kolpashchikov DM, Hughes P, Favre A, Baldacci G, Lavrik OI
Localization of the large subunit of replication factor C near the 5' end of DNA primers
J Mol Recognit 2001, 14:239-44.

Chavatte L, Seit-Nebi A, Dubovaya V, Favre A
The invariant uridine of stop codons contacts the conserved NIKSR loop of human eRF1 in the ribosome
EMBO J 2002, 21:5302-11.

Lebedeva NA, Rechkunova NI, Khodyreva SN, Favre A, Lavrik OI
Photoaffinity labeling of proteins in bovine testis nuclear extract
Biochem Biophys Res Commun 2002, 297:714-21.

Escaffre M, Favre A, Chottard JC, Bombard S
Determination of platinated purines in oligoribonucleotides by limited digestion with ribonucleases T1 and U2
Anal Biochem 2002, 310:42-9.

Lebedeva NA, Khodyreva SN, Favre A, Lavrik OI
AP endonuclease 1 has no biologically significant 3'-->5'(-)-exonuclease activity
Biochem Biophys Res Commun 2003, 300:182-7.

Chavatte L, Kervestin S, Favre A, Jean-Jean O
Stop codon selection in eukaryotic translation termination: comparison of the discriminating potential between human and ciliate eRF1s
EMBO J 2003, 22:1644-53.

Lebedeva NA, Rechkunova NI, Dezhurov SV, Khodyreva SN, Favre A, Lavrik OI
A new binary system for photosensitized labeling of DNA polymerases in nuclear extract
Biochemistry (Mosc) 2003, 68:476-81.

Chavatte L, Frolova L, Laugâa P, Kisselev L, Favre A
Stop codons and UGG promote efficient binding of the polypeptide release factor eRF1 to the ribosomal A site
J Mol Biol 2003, 331:745-58.

Moor N, Lavrik O, Favre A, Safro M
Prokaryotic and eukaryotic tetrameric phenylalanyl-tRNA synthetases display conservation of the binding mode of the tRNA(Phe) CCA end

Biochemistry 2003, 42:10697-708.

Vasil'eva IA, Bogachev VS, **Favre A**, Lavrik OI, Moor NA

Role of low-molecular-weight substrates in functional binding of the tRNAPhe acceptor end by phenylalanyl-tRNA synthetase

Biochemistry (Mosc) 2004, 69:143-53.

Vasil'eva IA, **Favre A**, Lavrik OI, Moor NA

Effect of nucleotide replacements in tRNAPhe on positioning of the acceptor end in the complex with phenylalanyl-tRNA synthetase

Biochemistry (Mosc) 2004, 69:154-63.

Bulygin K, Chavatte L, Frolova L, Karpova G, **Favre A**

The first position of a codon placed in the A site of the human 80S ribosome contacts nucleotide C1696 of the 18S rRNA as well as proteins S2, S3, S3a, S30, and S15

Biochemistry 2005, 44:2153-62.

Lebedeva NA, Rechkunova NI, Dezhurov SV, Khodyreva SN, **Favre A**, Blanco L, Lavrik OI

Comparison of functional properties of mammalian DNA polymerase lambda and DNA polymerase beta in reactions of DNA synthesis related to DNA repair

Biochim Biophys Acta 2005, 1751:150-8.

Salas TR, Petruseva I, Lavrik O, Bourdoncle A, Mergny JL, **Favre A**, Saintomé C

Human replication protein A unfolds telomeric G-quadruplexes

Nucleic Acids Res 2006, 34:4857-65.

Moriou C, Thomas M, Adeline MT, Martin MT, Chiaroni A, Pochet S, Fourrey JL, **Favre A**, Clivio P

Crystal structure and photochemical behavior in solution of the 3'-N-sulfamate analogue of thymidylyl(3'-5')thymidine

J Org Chem 2007, 72:43-50.

Santini GP, Pakleza C, Auffinger P, Moriou C, **Favre A**, Clivio P, Cognet JA

Dinucleotide TpT and its 2'-O-Me analogue possess different backbone conformations and flexibilities but similar stacked geometries

J Phys Chem B 2007, 111:9400-9.

Desnous C, Babu BR, Moriou C, Mayo JU, **Favre A**, Wengel J, Clivio P

The sugar conformation governs (6-4) photoproduct formation at the dinucleotide level

J Am Chem Soc 2008;130:30-1.

Bulygin KN, Baouz-Drahy S, **Favre A**, Ven'yaminova AG, Graifer DM, Karpova GG

[The environment of tRNA 3'-terminus in 80S ribosome A and P sites]

Bioorg Khim 2008, 34:96-106.

Bulygin K, **Favre A**, Baouz-Drahy S, Hountondji C, Vorobjev Y, Ven'yaminova A, Graifer D, Karpova G

Arrangement of 3'-terminus of tRNA on the human ribosome as revealed from cross-linking data

Biochimie 2008, 90:1624-36

Bulygin K, Baouz-Drahy S, Graifer D, **Favre A**, Karpova G

Sites of 18S rRNA contacting mRNA 3' and 5' of the P site codon in human ribosome: a cross-linking study with mRNAs carrying 4-thiouridines at specific positions

Biochim Biophys Acta 2009, 1789:167-74.

2 - Livre et chapitres de livres

Favre A, Tyrrell R, Cadet J (Eds)

From Photophysics to Photobiology

Photochem Photophys Suppl, Elsevier 1987, pp 1-488.

Expert-Bezançon A, Bezerra R, Hajnsdorf E, Lemaigre Dubreuil Y, **Favre A**

4-Thiouridine: a built-in photocrosslinking probe for the three dimensional analysis of RNA and ribonucleoprotein complexes

Photochem Photophys Suppl, Elsevier 1987, pp 33-43.

Favre A

4-Thiouridine as an intrinsic photoaffinity probe of nucleic acid structure and interactions

Bioorganic Photochemistry, Volume 1: Photochemistry and the Nucleic Acids, Harry Morrison (Ed) Wiley-Interscience 1990, pp 379-425.